



Fragrance Delivery Technologies Ltd.

RA07AC06, LIU 15, Junction 7, Jebel Ali Free Zone North, P.O. Box 262800, Dubai, United Arab Emirates Ph: +971 4 887 0577 | www.oxygenpowered.com

SAFETY DATA SHEET

Issuing Date 09-Jun-2015

Revision Date 07-Nov-2022

Revision Number 2

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name

Punch Oxygen-Pro Regular Cartridge; Punch Oxygen-Pro Grande Cartridge Punch VIVA!e Cartridge

UFI:

SQPR-1WTY-J00C-SAPT

Contains: Acetic acid, 2-phenylethyl ester, 1,5-Dimethyl-1-vinylhex-4-en-1-yl acetate, 3,7-Dimethylnona-1,6-dien-3-ol, 2,6-Dimethylhept-5-enal.

Relevant identified uses of the substance or mixture and uses advised against 1.2 Pacammandad Usa Air freshener

Recommended USe	All lieshenei
Uses advised against	No information available

Uses advised against

1.3. Details of the supplier of the safety data sheet

Importer	UK Address	EU Address
Fragrance Delivery Technologies, LTD	Fragrance Delivery Technologies, LTD	Fragrance Delivery Technologies, LTD
P.O.Box 262800	Unit 4 Enterprise Court, Station Road	Pracela Teixiera Pascoas
Dubai	SANDBACH, CW11 3SB	nº44 R/C Dtº Tras 4490-260
United Arab Emirates	United Kingdom	Portugal
TEL: +9714 887 0577	email: info@oxygenpowered.com	email: info@oxygenpowered.com
email: info@oxygenpowered.com		
For further information, please contact		
E-mail Address col	mmunications@oxygenpowered.com	

1.4. Emergency telephone number

Emergency Telephone 1-800-424-9300 USA Number

703-527-3887 Outside USA

112

Europe

Section 2. Hazards identification

2.1. - Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Skin Sensitizer	Category 1
Serious Eye Damage	Category 1
Hazardous to the aquatic environment, Chronic	Category 3

Physical Hazards

Flammable liquids	Category 3
-------------------	------------

2.2. Label Elements



Signal Word

DANGER

Hazard Statements

H412 - Toxic to aquatic life with long lasting effects

H226 - Flammable liquid and vapor

H317 – May cause an allergic skin reaction

H318 – Causes serious eye damage

Precautionary Statements

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/Bond container and receiving equipment

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 – Avoid release to the environment

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

2.3. Other information

No information available.

Section 3. Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Conc. %	Description	CAS	EINECS	Classification EC 1907/2006
50-75	1-Propoxypropan-2-ol;EIN	1569-01-3	216-372-4	H226, H319
2.5-10	Acetic acid, 2-phenylethyl ester	103-45-7	203-113-5	H318
2.5-10	Benzyl acetate	140-11-4	205-399-7	H412
2.5-10	1,5-Dimethyl-1-vinylhex-4-en-1-yl acetate	115-95-7	204-116-4	H315, H317, H319
1.0-2.5	3,7-Dimethylnona-1,6-dien-3-ol	10339-55-6	233-732-6	H315, H317, H319
1.0-2.5	2-tert-Butylcyclohexyl acetate	88-41-5	201-828-7	H411
1.0-2.5	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4	H315, H319
1.0-2.5	5-Heptyldihydrofuran-2(3H)-one	104-67-6	203-225-4	H412
1.0-2.5	4-(2,6,6-Trimethylcyclohex-1-en-1-yl)but-3- en-2-one	14901-07-6	238-969-9	H411
< 1.0	1-(3-Methoxypropoxy)propan-1-ol	34590-94-8	252-104-2	
< 1.0	Hexyl acetate	142-92-7	205-572-7	H226
< 1.0	3-Methylbut-2-en-1-yl acetate	1191-16-8	214-730-4	H226
< 1.0	2-Ethyl-3-hydroxy-4H-pyran-4-one	4940-11-8	225-582-5	H302
< 1.0	3-Methylbutyl butyrate	106-27-4	203-380-8	H226
< 1.0	Ethyl 2-methylpentanoate	39255-32-8	254-384-1	H226
< 1.0	Isobutyl acetate	110-19-0	203-745-1	H225, H336
< 1.0	Hexanoic acid, 2-propen-1-yl ester	123-68-2	204-642-4	H301, H311, H331, H400, H412
< 1.0	Rose Oxide Leavo	3033-23-6	221-217-9	H315, H319, H361
< 1.0	Ethyl 2-methylbutanoate	7452-79-1	231-225-4	H226
< 1.0	Hex-3-en-1-ol	928-96-1	213-192-8	H226, H319
< 1.0	2,4-dimethyl-4-phenyltetrahydrofuran	82461-14-1	279-967-8	H412

WPS-FDT-022 - Punch Cartridge

< 1.0	2,6-Dimethylhept-5-enal	106-72-9	203-427-2	H317
< 1.0	1-Decanal	112-31-2	203-957-4	H319, H412
< 1.0	1-(2,6,6-Trimethylcyclohex-3-en-1-yl)but-2- en-1-one (Rose Ketone)	57378-68-4	260-709-8	H302, H315, H317, H400, H410
< 1.0	Hex-3-en-1-yl acetate	3681-71-8	222-960-1	H226

For the full text of the H-Statements mentioned in this Section, see Section 16

Section 4. First aid measures

4.1. Description of first-aid measures

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs.
Skin Contact	Wash skin with soap and water. Get medical attention if irritation develops and persists.
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
Inhalation	Call a POISON CENTER or doctor/physician if exposed or you feel unwell.
Protection of First-aiders	Remove all sources of ignition.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects None known.

4.3. Indication of immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use: Water spray. Carbon dioxide (CO₂). Alcohol-resistant foam. Dry powder.

Extinguishing media which must not be used for safety reasons Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases Flammable. Vapors or dust may form explosive mixtures with air. Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Vapors may travel to source of ignition and flash back.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Take precautionary measures against static discharges. Keep people away from and upwind of spill/leak. Wear protective gloves/protective clothing/eye protection/face protection.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Dike far ahead of spill to collect runoff water. Collect spillage. Dispose of contents/container to an approved waste disposal plant.

6.3. Methods and materials for containment and cleaning up

Dike to collect large liquid spills.

Dam up. Soak up with inert absorbent material. Non-sparking tools should be used. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

See Section 12 for additional information.

Section 7. Handling and storage

7.1. Precautions for Safe Handling

Handling

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Wear protective gloves/protective clothing/eye protection/face protection.

Hygiene Measures

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

Exposure Scenario

No information available.

Other Guidelines

No information available.

Section 8. Exposure controls/personal protection

.....

8.1. Control parameters

Materials with occupational exposure standards:

	WEL-STEL mg/m3	WEL-STEL ppm	WEL-TWA mg/m3	WEL-TWA ppm
1-(3-Methoxypropoxy)propan-1-ol			308	50
Isobutyl acetate	903	187	724	150
8.2. Exposure controls				
Engineering Measures	Showers Eyewash stations			
Personal protective equipment Eye Protection	Personal protection equipment should Safety glasses with side-shields. If sp		0	

......

Skin and Body Protection	None required under normal usage.
Hand Protection	Avoid contact. Use chemically resistant gloves as needed, e.g. butyl rubber or nitrile rubber protective index 6
Respiratory Protection	No special protective equipment required.

Environmental Exposure Controls Do not allow material to contaminate ground water system.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Odor	Liquid Characteristic	Appearance	Clear
<u>Property</u> pH Melting Point/Range Boiling Point/Boiling Range Flash Point	<u>Values</u> No data available No data available No data available 54 °C	<u>Remarks</u> None known None known None known None known	
Evaporation rate Flammability (solid, gas) Flammability Limits in Air	No data available No data available No data available	None known None known None known	
Vapor Pressure Vapor Density Relative Density Water Solubility Solubility in other solvents Partition coefficient: n-octan Autoignition Temperature Decomposition Temperature Viscosity	No data available	None known None known None known None known None known None known None known	
Explosive Properties Oxidizing Properties 9.2. Other information	No information available No information available	-	

VOC Content (%)

No information available

Section 10. Stability and reactivity

10.1. Reactivity No data available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Stable under normal conditions

10.5. Incompatible materials

None expected

10.6. Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

Section 11. Toxicological information

This preparation has not been subject to toxicological testing as an entity; therefore no specific LD50/LC50 values have been determined. The toxicological information available relating to the ingredients and their concentrations enables the evaluation of this preparation. For further information see sections 2, 15 & 16.

11.1. Information on toxicological effects

ATE Dermal: >5000 ATE Oral: >5000

ATE Vapor: >20

Section 12. Ecological information

12.1. Toxicity

Ecotoxicity Effects

This preparation has not been subject to ecological testing as an entity; therefore no specific data has been generated. The ecological information available relating to the ingredients and their concentrations enables the evaluation of this preparation. For further information see sections 2,15 & 16. Avoid contaminating the earth as well as surface and ground water.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

This product does not contain any known or suspected endocrine disruptors.

Section 13. Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. The soiled packaging should be disposed of in the same way as the product.

Section 14. Transport information

IMDG/IMO		
14.1. UN-Number		UN1993
14.2. Proper Shipp		Flammable liquid, n.o.s. (contains 1-Propoxypropan-2-ol)
14.3. Hazard Class	S	3
14.4. Packing Gro	up	
<u>ADR</u>		
14.1. UN-Number		UN1993
14.2. Proper Shipp	•	Flammable liquid, n.o.s. (contains 1-Propoxypropan-2-ol)
14.3. Hazard Class	-	3
14.4. Packing Gro	•	
14.5. ADR Tunnel	Code	D/E
ΙΑΤΑ		
14.1. UN-Number		UN1993
14.2. Proper Shipp	oing Namo	Flammable liquid, n.o.s. (contains 1-Propoxypropan-2-ol)
14.3. Hazard Clas	•	3
14.4. Packing Gro	-	
14.4. Facking Gro		No
14.6. Special Prov		None
ERG Code	1310113	3L
ENG COUP		JL

Section 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling information see section 2. The classification of this mixture is in accordance with EC 1272/2008 as amended

15.2. Chemical Safety Assessment

No information available

Section 16. Other information

- H226 Flammable liquid and vapor.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H412 Harmful to aquatic life with long lasting effects.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/tools/equipment.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER or doctor/physician.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container according to local regulations.

Key literature references and sources for data

www.ChemADVISOR.com/

09-Jun-2015

Issuing Date

Revision Date 07-Nov-2022

This safety data sheet complies with the requirements of Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No. 1907/2006

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet